

# Index

## !

! logical operator, 161, 215

## %

% measurement unit, 81

% tags, 66

## &

& logical operator, 214

&& logical operator, 214

## .

.NET framework, 54, 125

classes. *See* classes

data types, alternate names, 154, 156, 158, *See also* data types

Math library, 170

namespaces. *See* namespaces

namespaces of, 186, *See also* namespaces

StringBuilder class, 186

summaries, explanation of, 224

## /

/\*\*/ comment indicators, 222

// comment indicator, 222

## ;

; line endings, 92

## {

{ } markers, use of, 92

{0:X} data format string. *See* data format strings

## |

|| logical operator, 214

## <

< logical operator, 214

<= logical operator, 214

## =

= assignment operator, 210

== equality operator, 210

## >

> logical operator, 214

>= logical operator, 214

## A

A HTML tag, 74

access rules

all rule, 265

anonymous users, denying access to with, 262

creating, 262

explanation of, 262

security wizard, adding with, 269

Web.config files, requirement of, 262

accuracy when using floating point values, 158

AddDays method, 162

adding files and folders to a solution, 37

addition, 156, 168, 190

AJAX, 106

AllowPaging property, 308

AllowSorting property, 308

alternate text, 127

AND logical operator, 214

anonymous users, denying access to, 262

Apache. *See* web server

App\_Data folder, 276

application settings, 251

Application\_AuthenticateRequest event handler, 326

Application\_End event handler, 326

Application\_Error event handler, 326

Application\_Start event handler, 326

arguments

IntelliSense, viewing details of with, 225

methods, calling with, 193

methods, creating to require, 192

methods, overloading of, 193

sent by reference, 239

sent by value, 239

summaries, adding to, 225

arrays

Contains method, 233

creating, 232

dynamic, 232

explanation of, 232

multidimensional, 233

aspx file, 326

## ASP.NET

- classes. *See* classes
- CSS, automatic generation of, 77
- earlier versions of, 66
- HTML, automatic generation of, 51, **93**
- JavaScript, automatic generation of, 83, 107
- Page object. *See* Page object
- postback, requirement of, 106

ASP.NET Configuration utility

- access rules, adding with, 262, 264
- application settings, changing using, 251
- authentication types, changing with, 252
- email settings, defining using, 251
- error page, setting with, 327
- explanation of, 250
- Forms authentication, switching to with, 252
- opening, 250
- roles, adding with, 264, *See also* roles
- security tab, 250
- security wizard, 268, *See also* security wizard
- Take Offline option, 251
- users, viewing using, 250
- Windows authentication, switching to with, 252

ASP.NET controls. *See* controls

ASP.NET Folders, 276

ASP.NET framework. *See* .NET framework

ASP.NET MVC project, 32

ASP.NET Web Application project. *See also* projects

- advantages of, 34
- creating, 32
- login system, automatically created, 248
- master page, automatically created, 324
- publishing. *See* publishing

ASP.NET Web Site project, 34, *See also* projects

ASPNETDB.MDF database file, 268

aspx pages, 31, **36**, *See also* pages

assignment operator, 210

authentication

- anonymous users, 262
- Application\_AuthenticateRequest event handler, 326
- ASPNETDB.MDF file, requirement of, 268
- C#, logging in using, 254
- CreateUserWizard control, 258
- default login page, 261
- explanation of, 248
- folders, securing, 262
- Forms mode, 252
- Login control, 254

- login system, 248
- Page.User.Identity.IsAuthenticated property, 266
- Page.User.Identity.Name property, 266
- Page.User.IsInRole method, 267
- pages, automatically created, 248
- pages, securing, 263
- providers, 250, *See also* providers
- ReturnUrl query string value, 255
- System.Web.Security.Membership.CreateUser method, users, creating with, 259
- System.Web.Security.Membership.ValidateUser method, 254
- user friendliness of, 267
- users, creating, 249, *See also* users
- users, viewing, 250, *See also* users
- Web.config, changing settings in, 251
- Windows mode, 252

Auto Hide, 50

automatic documentation, 225

automatic formatting, 42

AutoPostBack property, 107, 131, 133, 135, 137

Average LINQ method, 284

**B**

- BackColor property, 142
- background-color CSS property, 77, 83
- Basic Settings mode, 28
- body HTML tag, 66
- bold HTML tag, 62
- bool data type, 93
  - explanation of, 160
  - if statements, use by, 211
  - NOT operator, use with, 161
  - variable, creating, 160
- boolean. *See* bool data type
- bracketing
  - logical conditions, 216
  - mathematical operations, 169
- break HTML tag, 64
- break keyword, 240
- breakpoints
  - adding and removing, 96, 102
  - empty event handler, adding to, 104
  - View in Browser, processing prevented by, 96
- browser. *See* web browser
- build errors. *See* errors
- building. *See* compiling
- BulletedList control, 136
- Button control
  - adding to a page, 50, 94

- Click event handler, 94, 126
  - event handlers, other, 126
  - formatting, 126
  - properties, 126
  - ButtonField
    - CommandName property, 331
    - explanation of, **331**
  - ButtonField, explanation of, 311
  - by reference, 239
  - by value, 239
- C**
- C#
    - access, restricting with, 266
    - classes. *See* classes
    - curly brackets, use of, 92
    - data types. *See* data types
    - data, binding with, 316
    - event handlers. *See* event handlers
    - HTML pages, placement on, 66
    - methods. *See* methods
    - pages, securing with, 263
    - postback, requirement of, 106
    - properties, changing with, 92
    - semicolons, use of, 92
    - server-side code, status as, 83, 106
    - users, creating with, 259
    - validation controls, confirming using, 139
    - variable types. *See* data types
    - Visual Basic, preference over, 33
  - Calendar control
    - adding to a page, 51, 95
    - formatting with Auto Format, 52
    - SelectedDate property, 95
    - SelectionChanged event handler, 95
  - calling methods. *See* methods
  - cast conversion method
    - explanation of, 167
    - object variables, converting using, 174
  - catch statement, 220
  - CausesValidation property, 142
  - Ceiling method, 170
  - cells. *See* tables
  - ChangePassword login control, 260
  - CheckBox control
    - AutoPostBack property, 133
    - Checked property, 132
    - CheckedChanged event handler, 132
    - HTML, conversion into, 132
    - Input (Checkbox) control, based on, 132
    - postback, disabled by default, 106
    - properties, 132
    - TextAlign property, 132
  - CheckBoxList control, 132, 136
  - Checked property, 132, 135
  - CheckedChanged event handler, 132, 135
  - checkout page, 338
  - Chrome. *See* web browser
  - classes
    - .NET framework, originating from, 186
    - constructors, adding to, 202
    - creating, 182
    - Dispose method, disposing of with, 200
    - events of, 182, *See also* event handlers
    - explanation of, 151, **182**
    - icon for, 151
    - instances, creating, 162, 182, **184**, 197
    - instances, disposing of, 200
    - methods of. *See* methods
    - methods, adding to, 183, 186, **190**
    - namespaces, placement in, 188
    - properties of, 182, *See also* properties
    - properties, adding to, 182
    - protection levels, 182
    - static, 198
    - using statement, disposing of with, 201
  - Click event handler, 94, 126
  - client-side code, 83, 106
  - Code Only mode, 28
  - code regions, 44
  - code-behind files, 36
  - Collapse to Definitions, 44
  - collections. *See also* arrays
    - Dictionary, 235
    - explanation of, 234
    - foreach iteration statement, iteration through using, 236, *See also* foreach iteration statement
    - LINQ, use with, 294
    - List, 234, *See also* List collection
    - SortedList, 235
    - System.Collections.Generic namespace, 186
  - color CSS property, 77
  - Columns property, 130
  - command fields
    - Delete, 311
    - Edit, Update, Cancel, 310
    - New, Insert, Cancel, 313
    - Select, 311
  - comments
    - //, definition by, 222
    - best practice of use, 223

- explanation of, 222
- in-line, 223
- multiline, 222
- shortcut buttons for, 222
- single line, 222
- CompareValidator control, 141
- compile errors. *See* errors
- compiling, 34, 39, 345
- concatenation, 154
- conditions
  - database, 281, 282, 283, *See also* LINQ
  - logical. *See* if statements
- config file, 116
- connection string, 314
- constructor method
  - arguments, adding to, 203
  - creating, 202
  - explanation of, 202
  - instances, creating with, 203
- Contains method, 233, 235
- ContentPlaceHolder control, 324
- controls
  - adding to pages, 50
  - AutoPostBack property, 107, 131, 133, 135, 137
  - BulletedList, 136
  - Button, 50, 94, **126**, *See also* Button control
  - Calendar, 51, *See also* Calendar control
  - ChangePassword, 260
  - CheckBox, 106, 132
  - CheckBoxList, 132, 136
  - common properties, 142
  - CompareValidator, 141
  - ContentPlaceHolder, 324
  - CreateUserWizard, 258
  - CustomValidator, 141
  - data source, setting, 304, 305
  - database columns, naming to match, 290
  - DataList, 313
  - deleting, 73
  - DetailsView, 312, *See also* DetailsView data control
  - DropDownList, 53, 106, 136, *See also* DropDownList control
  - EnableViewState property, 109
  - event handlers, adding to, 94
  - form, requirement of, 67
  - FormView, 313
  - GridView, 306, *See also* GridView data control
  - HTML. *See* HTML
  - HTML, conversion into, 51, **93**
  - icons for, 151
  - ImageButton, 127
  - Input (Checkbox), 84
  - Input (Reset), 51
  - Input (Submit), 84
  - Input (Text), 84
  - Label, 92, 128, *See also* Label control
  - LinkButton, 126
  - LinqDataSource, 302, 304
  - list-based, 132, *See also* list-based controls
  - ListView, 313
  - Login, 254, *See also* Login control
  - LoginName, 260
  - LoginStatus, 261
  - naming convention, importance of, 124
  - properties, C#, changing with, 92
  - properties, Design view, changing in, 46
  - properties, Source view, changing in, 48
  - RadioButton, 134
  - RadioButtonList, 135, 136
  - RangeValidator, 140
  - RegularExpressionValidator, 141
  - Repeater, 313
  - RequiredFieldValidator, 138
  - selecting, 46
  - SqlDataSource, 314, *See also* SqlDataSource data control
  - System.Web namespace, presence in, 186
  - templates, customization with, 256
  - TextBox, 50, 130, *See also* TextBox control
  - ValidationSummary, 140
  - ViewState, maintenance of state by, 108
  - Web User Control, 324
- ControlState, 108
- ControlToValidate property, 138
- conversion methods
  - cast, 167
  - Convert, 164
  - Parse, 165
  - ToString, 166
- Convert conversion method, 164
- converting variables. *See* conversion methods
- Cos method, 170
- Count LINQ method, 284
- crash. *See* exceptions
- CreateUserWizard login control, 258
- credit card payments, 340
- cs file, 36
- csproj file, 33
- CSS
  - automatic generation of, 71
  - classes, **76**, 78

- classes, assigning to page elements, 76
  - CSSClass property, assigning to controls with, 143
  - explanation of, 40, 76
  - file, 69
  - identifiers, 77, 80
  - IntelliSense menu, use with, 150
  - link HTML tag, 68
  - pages, linking to, 68, 76
  - style property, placing in, 77
  - style tag, placing in, 71
  - versions, 79
  - CSS properties
    - background-color, 77, 80, 83
    - color, 77
    - display, 78
    - font-family, 78
    - font-size, 76, 78
    - height, 81
    - left, 78
    - margin, 78
    - padding, 78
    - position, 78
    - text-align, 78
    - top, 78
    - vertical-align, 78
    - width, 81
  - CSS Properties window, 78
  - CSSClass property, 143
  - curly brackets, use of, 92
  - customErrors setting, 116
  - CustomValidator control, 141
- D**
- data context. *See* LINQ classes, *See* LINQ
  - data controls
    - DataList, 313
    - DetailsView, 312, *See also* DetailsView data control
    - FormView, 313
    - GridView, 306, *See also* GridView data control
    - LinqDataSource, 302, 304, *See also* LinqDataSource data control
    - ListView, 313
    - paging, enabling, 308
    - placement of, 302
    - Refresh Schema option, 312
    - Repeater, 313
    - sorting, enabling, 308
    - SqlDataSource, 314, *See also* SqlDataSource data control
    - templates, customizing with, 313
  - data format strings
    - {0:00.00}, 307
    - {0:c}, 307
    - {0:d}, 307
    - {0:D}, 307
    - {0:n}, 307
    - {0:t}, 307
  - data source parameters
    - Control, 303
    - Cookie, 303
    - Form, 303
    - None, 303
    - Profile, 303
    - QueryString, 303
    - Route, 303
    - Session, 303
  - data types
    - alternate names, 154
    - bool, 93, 160, *See also* bool data type
    - DateTime, 162, *See also* DateTime data type
    - decimal, 158, *See also* decimal data type
    - double, 158, *See also* double data type
    - float, 158, 165, *See also* float data type
    - int, 156, *See also* int data type
    - long, 156, *See also* long data type
    - null, 101, *See also* null
    - object, 174, *See also* object data type
    - short, 156, *See also* short data type
    - string, 93, 152, 154, *See also* string data type
    - var, 175, 282, *See also* var data type
  - Database Explorer window, 277
  - databases
    - access rights, 292
    - ASPNETDB.MDF, 268
    - connecting to, 277
    - connection string, 314
    - controls, naming of to match columns, 290
    - Database Explorer window, 277
    - DBA, 276, 279
    - dbml file, 278, *See also* LINQ
    - deletion of records, recommendation against, 292
    - DetailsView control, inserting records with, 313
    - mdf file, 268, 277
    - MySQL, 276
    - Oracle, 276
    - permissions, 292
    - primary key, 291
    - projects, adding to, 276
    - publishing, omission of when, 345

- query. *See* LINQ
  - records, deleting, 292
  - records, inserting, 291
  - records, updating, 289, *See also* LINQ
  - relationships, 279, 283
  - remote, connecting to, 277
  - retrieving data from. *See* LINQ
  - SQL language, 276
  - SQL Server, 276
  - stored procedures, 279, 284, *See also* stored procedures
  - System.Data.SqlClient namespace, 281
  - tables, explanation of, 277
  - types of, 276
- DataBind method, 316
- DataList data control, 313
- DataSource property, 316
- DateTime data type
- AddDays method, 162
  - calendars, changing, 162
  - explanation of, 162
  - Month property, 163
  - Now property, 162
  - null default value, 162
  - ToLongDateString method, 163
  - ToShortDateString method, 163
  - ToShortTimeString method, 163
- DBA, 276, 279
- dbml file, 278
- debug mode
- running a project in, 46
- debug mode, running a project in, 38
- debugging
- breakpoints, 96, 98, 102, *See also* breakpoints
  - continuing execution, 97
  - Internet Explorer, using for, 39
  - Locals window, 98
  - properties, inspecting while paused, 96
  - saving on debug, 41
  - Start Page, changing, 38
  - starting, 38
  - starting and stopping, 46
  - Step Into, 97
  - Step Out, 97
  - Step Over, 97, 99
  - stopping, 38
  - toolbar, 97
  - View in Browser, 46, 96
  - Watch window, 99, 102
  - watches, 99, *See also* watches
- debugging toolbar, 97
- decimal data type
- Decimal alternate name, 158
  - explanation of, 158
  - m postfix, 159, *See also* postfixes
  - nullable, use of, 336
- Default.aspx, 36
- Delete command field, 311
- DeleteOnSubmit LINQ method, 293
- deleting
- controls, 73, 127
  - event handlers, 129
  - files, from a solution, 37
  - records, from a database, 292
- Design view, 40
- designer.cs file, 92
- DetailsView data control
- Edit Fields dialog, 313
  - editing features, enabling, 312
  - explanation of, 312
  - inserting features, enabling, 313
  - paging, enabling, 312
  - Refresh Schema option, 312
- Dictionary collection, 235
- Dispose method, 200
- Disposed event handler, 129
- division, 169
- DOCTYPE HTML tag, 66
- double data type
- accuracy, 158
  - Double alternate name, 158
  - explanation of, 158
- double equals operator, 210
- downloading
- sample files, 13, **29**
  - Visual Studio, 24
- DropDownList control
- adding to a page, 53
  - AppendDataBoundItems property, 305
  - AutoPostBack property, 107, 137
  - DataSourceID property, 305
  - DataTextField property, 305
  - DataValueField property, 305
  - items, adding to, 53, 136
  - postback, disabled by default, 106
  - SelectedIndex property, 137, 157
  - SelectedIndexChanged event handler, 137
  - SelectedItem property, 216
  - SelectedValue property, 157
- dynamic arrays, 232

**E**

Edit Columns dialog, 310  
 Edit Fields dialog, 313  
 elements. *See* controls  
 else if statement  
   conditions, multiple, use of, 216  
   else statement. *See* else statement  
   explanation of, 212  
   if statement. *See* if statement  
   logical operators, use with, 214, *See also* logical operators  
 else statement  
   else if statement. *See* else if statement  
   explanation of, 212  
   if statement. *See* if statement  
 em measurement unit, 81  
 email settings, 251  
 Enabled property, 142  
 EnableTheming property, 142  
 EnableViewState property, 109, 142, 306  
 equality operator, 210  
 ErrorMessage property, 141  
 errors. *See also* exceptions  
   Application\_Error event handler, 327  
   ASP.NET Configuration utility, setting default page with, 327  
   catch statement, retrieval of details with, 221  
   customErrors setting, changing display of with, 116  
   Global.asax, handling with, 327  
   handling, 220  
   logging, 328  
   try and catch, handling with, 220  
   warnings, 152  
   when building, 39  
   when running, 100, *See also* exceptions  
 event handlers  
   Click, 94  
   controls, adding to, 94  
   DataBinding, 129  
   deleting, 129  
   Disposed, 129  
   explanation of, 92, 93, **94**  
   Load, 129  
   order of execution, 94, 105  
   Page\_Init, 95  
   Page\_Load, 92, 93  
   Page\_PreRender, 95  
   Page\_Unload, 95  
   SelectedIndexChanged, 137  
   SelectionChanged, 95

Source view, inability to add event handlers in, 94

Exception object  
   catch statement, retrieval with, 221  
   database, logging to, 328  
   explanation of, 100  
   InnerException property, 101  
   Message property, 101  
   Source property, 101  
   StackTrace property, 101  
 exceptions. *See also* Exception object  
   details of, catch statement, retrieval with, 221  
   explanation of, 100  
   handling, 220  
   troubleshooting tips, 100  
   try and catch, handling with, 220  
 excluding files from a solution, 37  
 expanding and collapsing code regions, 44  
 Expert Settings mode, 28

**F**

f postfix, 158, *See also* postfixes  
 false. *See* bool data type  
 favicon, 68  
 file extensions  
   asax, 326  
   aspx, 31, **36**  
   config, 116  
   cs, 36  
   csproj, 33  
   css, 69  
   dbml, 278  
   displaying, 30  
   explanation of, 31  
   hidden, showing, 30  
   htm, 31, **84**  
   html, 31, **84**  
   ico, 68  
   jpg, 31  
   js, 69  
   mdf, 268, 277  
   png, 31, 127  
   sln, 32  
   suo, 33  
   txt, 31  
 file paths, 75  
 File System publish method, 344, *See also* publishing  
 files  
   hidden, showing, 30  
   solution, adding to, 37

- solution, deleting from, 37
- solution, excluding from, 37
- FindControl method, 103, 112
- Firefox. *See* web browser
- First LINQ method, 280
- FirstOrDefault LINQ method, 287
- float data type
  - accuracy issues, 158
  - Convert.ToSingle method, 165
  - explanation of, 158
  - f postfix, 158
  - Single alternate name, 158
  - variable, creating, 158
- floating point numbers. *See* float data type
- Floor method, 170
- folders
  - hidden, showing, 30
  - securing, 262
  - solution, adding to, 37
- Font properties, 142
- font-size CSS property, 76
- for iteration statement, 238
- foreach iteration statement
  - break keyword, escaping from using, 240
  - collections, iteration through using, 236
  - explanation of, 236
  - iteration variable, 237
  - iteration variable, inability to modify, 238
  - var data type, recommendation against using, 237
- ForeColor property, 142
- form tag, 67
- format strings, 166, 193, *See also* data format strings
- formatting, automatic, 42
- formatting, with Auto Format, 52
- forms, 67, 84
- Forms authentication, 252
- FormView data control, 313
- FPSE publish method, 344
- FTP publish method, 344
- functions
  - C#. *See* methods
  - C#, not present in, 194
  - JavaScript, 82
  - Visual Basic, 194
- Global.asax file
  - Application\_AuthenticateRequest event handler, 326
  - Application\_End event handler, 326
  - Application\_Error event handler, 326
  - Application\_Start event handler, 326
  - errors, handling with, 327
  - errors, logging with, 328
  - explanation of, 326
  - Session\_End event handler, 326
  - Session\_Start event handler, 326
- globalization tag, 162
- greater than or equal to, logical operator, 214
- greater than, logical operator, 214
- green underlining, 152
- GridView data control
  - adding to a page, 306
  - AllowPaging property, 308
  - AllowSorting property, 308
  - ButtonField, 331, *See also* ButtonField
  - C#, binding data to with, 317
  - CommandName, 331
  - data format strings, 307, *See also* data format strings
  - data source, setting, 307
  - DataKeys property, 332
  - Delete command field, 311
  - Edit Columns dialog, 310
  - Edit, Update, Cancel command field, 310
  - editing features, enabling, 310
  - EnableViewState property, 306
  - explanation of, 306
  - formatting, 307
  - ImageField, 330
  - LINQ, binding data to with, 317
  - PageIndexChanging event handler, 317
  - paging, enabling, 308
  - primary key, retrieving from, 332
  - products page, use on, 330
  - search page, use on, 334
  - Select command field, 311
  - SelectedIndexChanged event handler, 311
  - SelectedRow property, 311
  - sorting, enabling, 308
  - sorting, limitations of, 309
  - SqlDataSource control, features not supported by, 315
  - ViewState, recommended disabling of, 306
- GroupName property, 134

**G**

- garbage collection, 200
- get method, 218
- GetType method, 174

**H**

- head HTML tag, 66
- heading cell, 71
- heading HTML tags, 63
- height CSS property, 81
- Height property, 143
- help
  - MSDN forums, 54
  - MSDN library, 54
  - online sources, 55
  - troubleshooting tips, 100
- Hexadecimal colors, 46
- hidden file extensions, showing, 30
- hidden files, showing, 30
- hidden folders, showing, 30
- htm file, 31, **84**
- HTML
  - controls, conversion into, 51, **93**
  - delivery by web server, 85
  - explanation of, 40
  - formatting text with, 62, 64
  - forms, 67, 84
  - headings, 63
  - hyperlinks, 74, *See also* hyperlinks
  - images, 75
  - IntelliSense menu, use with, 150
  - navigating with the tag navigator, 72
  - page structure, 66
  - self-closing tags, 65
  - tables, 70, *See also* tables
  - versions, 66
- HTML controls, 51
- html file, 31, **84**
- HTML tags
  - <!DOCTYPE>, 66
  - <%>, 66
  - <a>, 74
  - <b>, 62
  - <body>, 66
  - <br />, 64
  - <div>, 80
  - <form>, 67
  - <h1>, 63
  - <head>, 66
  - <i>, 62
  - <img>, 75
  - <link>, **68**, 76
  - <meta>, 68
  - <p>, 64
  - <Page>, 66
  - <script>, 69, 82
  - <span>, 80
  - <style>, 71
  - <table>, 70, *See also* tables
  - <td>, 70
  - <th>, 71
  - <title>, 68
  - <tr>, 70
  - nested, 63
  - opening and closing, 62
  - self-closing, 65
- hyperlinks
  - creating, 74, 110
  - opening in a new window, 74
  - Response.Redirect method, similarity to, 110
  - Target property, 74

**I**

- ico file, 68
- icons
  - IntelliSense menu, explanation of, 151
- ID property, 46, 92, 124
- if statement
  - && logical operator, use of, 214
  - || logical operator, use of, 214
  - = operator, use of, 210
  - assignment operator, use of, 210
  - boolean values, use of, 210
  - bracketing, use of, 216
  - conditions, multiple, use of, 216
  - creating, 210
  - curly brackets, use of, 210, *See also* curly brackets
  - else if statement. *See* else if statement
  - else statement. *See* else statement
  - explanation of, 210
  - logical operators, use of, 214, *See also* logical operators
  - multiple lines, splitting into, 216
  - shortening, 211
  - single line, 210
- IIS. *See* web server
- ImageButton control, 127
- ImageField, 330
- images
  - alternate text, 127
  - displaying on a page, 75
- img HTML tag, 75
- indexing, zero-based, 137, 235
- IndexOf method, 155
- Init event handler, 129
- Input (Checkbox) control, 84

- Input (Reset) control, 51
  - Input (Submit) control, 84
  - Input (Text) control, 84
  - InsertAllOnSubmit LINQ method, 293
  - InsertOnSubmit LINQ method, 291
  - installing Visual Studio, 24
  - instances of classes
    - creating, **184**, 191, 197
    - creating, 182
    - disposing of, 200, 201
    - explanation of, 182
    - garbage collection, automatic disposal by, 200
    - methods, calling from, 191
    - static, unable to create if, 198
    - using statement, automatic disposal by, 201
  - instances of classes, creating, 162
  - int data type
    - Convert.ToInt32 method, 164
    - decimal places, lack of, 156
    - explanation of, 156
    - Int32 alternate name, 156
    - nullable variable, creating, 173
    - Parse method, 165
    - value, adding to, 156
    - variable, creating, 156
  - Int16 data type. *See* short data type
  - Int32 data type. *See* int data type
  - Int64 data type. *See* long data type
  - IntelliSense menu, 62, 125
    - arguments, viewing with, 193
    - CSS, use with, 150
    - explanation of, 150
    - HTML, use with, 150
    - icons, explanation of, 151
    - JavaScript, use with, 150
    - overloads, viewing with, 193
  - Internet Explorer. *See also* web browser
    - debugging, using for, 39
    - View Source option, **93**
    - Windows authentication, optimization for, 253
  - intranet site, 252
  - IP address, 105
  - IsNullOrEmpty method, 172
  - IsPostBack property, 106
  - IsValid property, 139
  - italic HTML tag, 62
  - iteration statements
    - break keyword, escaping from using, 240
    - break keyword, recommendation against using
      - in, 240
    - for, 238
    - foreach, 236
    - return keyword, recommendation against
      - using in, 240
    - while, 238
  - iteration variable, 237, 238, *See also* foreach statement
- ## J
- JavaScript
    - advantages and disadvantages of, 83, **106**
    - AJAX, 106
    - alert function, 69, **82**
    - browser compatibility, 82
    - client-side code, status as, 83, 106
    - explanation of, 40
    - IntelliSense menu, use with, 150
    - JQuery, use with, 82
    - js file, 69
    - limitations of, 106
    - linking to a page, 69
    - onclick property, assigning to, 82
    - page element, changing color of, 83
    - placing in script tags, 82
    - postback, use for, 107
    - validation controls, use by, 139
  - jpg file, 31
  - JQuery, 82
  - js file, 69
- ## K
- keyed values, 109
- ## L
- Label control
    - adding to a page, 92
    - Load event handler, 129
    - placeholder, 128
    - properties, 128
    - Text property, 92
  - lambda LINQ syntax, 281
  - language integrated query. *See* LINQ
  - Length property, 154
  - less than or equal to, logical operator, 214
  - less than, logical operator, 214
  - link HTML tag, 68, 76
  - LinkButton control
    - explanation of, 126
    - HTML, use in properties, 126
  - links. *See* hyperlinks
  - LINQ

- advantages of, 278
- aliases, 281
- Average method, 284
- bracketing of conditions, 283
- classes, adding, 278
- classes, creating instances of, 280
- classes, disposing of, 280
- classes, rebuilding, 279
- classes, stored procedures, adding to, 279
- classes, tables, adding to, 278
- collections, performance issues with, 295
- collections, use with, 294
- controls. *See* data controls
- controls, binding data to with, 316
- Count method, 284
- criteria, 283
- criteria, bracketing of, 283
- database record, single, retrieving, 280
- database records, disconnected, 288
- database records, inserting, 291, 340
- database records, multiple, retrieving, 282
- database records, updating, 289
- databases records, deleting, 293
- DataBind method, 316
- DataSource property, 316
- dbml file, 278
- DeleteOnSubmit method, 293
- efficient use of, 317
- errors when record does not exist, 286
- errors, logging with, 328
- explanation of, 278
- First method, 280
- FirstOrDefault method, 287
- InsertAllOnSubmit method, 293
- InsertOnSubmit method, 291
- lambda syntax, 281
- LINQ to SQL Classes, adding, 278
- Object Relational Designer window, 278
- OrderBy method, 284
- query syntax, 281
- relationships, 279
- results, sorting, 284
- search page, creating with, 336
- single database record, retrieving, 281
- Single method, 281, 286
- SingleOrDefault method, 287
- sorting, 284
- SQL, generation of, 278
- stored procedures, adding, 279
- stored procedures, calling, 284
- stored procedures, comparison with, 285
- SubmitChanges method, 289, 291, 293
- Sum method, 284
- System.Linq namespace, 186
- tables, adding to classes, 279
- Take method, 284
- top X results, retrieving, 284
- using statement, recommendation of, 280
- var data type, recommendation of, 282
- Where method, 282
- LINQ to SQL Classes, 278, *See also* LINQ
- LinqDataSource control
  - deleting, enabling, 311
  - updating, enabling, 311
- LinqDataSource data control
  - adding to a page, 302
  - configuring, 302
  - controls, attaching to, 304, 305
  - deleting, enabling, 311
  - EnableDelete property, 311
  - EnableInsert property, 313
  - EnableUpdate property, 311
  - explanation of, 302
  - inserting, enabling, 313
  - Source parameters, 303, *See also* data source parameters
  - SqlDataSource, preference over, 314
  - updating, enabling, 311
- Linux, 85
- List collection
  - Add method, 234
  - Contains method, 235
  - creating, 234
  - Remove method, 235
  - shopping cart, usage as, 333
  - values, adding to, 234
  - values, removing from, 235
- list-based controls
  - data sources, attaching to, 305
  - explanation of, 136
- ListView data control, 313
- Literal control
  - adding to a page, 128
  - Label control, differences to, 128
- Load event handler, 129
- locale, 162
- Locals window, 98
- Log method, 170
- LoggedIn event handler, 254
- logical conditions. *See* if statements
- logical operators
  - !, 161, **215**

- &, 214
  - &&, 214
  - ||, 214
  - <, 214
  - <=, 214
  - =, 210
  - >, 214
  - >=, 214
  - AND, 214
  - bracketing of, 216
  - equality, 210
  - explanation of, 214
  - greater than, 214
  - greater than or equal to, 214
  - less than, 214
  - less than or equal to, 214
  - NOT, 161, **215**
  - OR, 214
  - Login control
    - adding to a page, 254
    - customizing, 256
    - explanation of, 254
    - LoggedIn event handler, 254
    - redirection after logging in, 255
    - ReturnUrl query string value, 255
    - templates, customizing with, 256
  - login controls
    - ChangePassword, 260
    - CreateUserWizard, 258
    - Login, 254, *See also* Login control
    - LoginName, 260
    - LoginStatus, 261, *See also* LoginStatus login control
  - login system. *See* authentication
  - LoginName login control, 260
  - LoginStatus login control
    - explanation of, 261
    - Web.config settings related to, 261
  - loginUrl setting, 261
  - long data type
    - explanation of, 156
    - Int64 alternate name, 156
  - loops. *See* iteration statements
- M**
- master pages
    - best practice of use, 324
    - ContentPlaceHolder control, 324
    - explanation of, 324
  - Math library
    - Ceiling method, 170
    - Cos method, 170
    - explanation of, 170
    - Floor method, 170
    - Log method, 170
    - Max method, 171
    - Min method, 171
    - Pow method, 170
    - Round method, 170, 196
    - Sin method, 170
    - Sqrt method, 170
    - static class, status as, 198
    - Tan method, 170
  - mathematical operations
    - addition, 156, 168, 190
    - bracketing of, 169
    - cosine, 170
    - division, 169
    - floating point values, accuracy with, 159
    - logarithm, 170
    - modulo, 169
    - multiplication, 159, 169
    - power, 170
    - rounding, 170, 196
    - sine, 170
    - square root, 170
    - subtraction, 169, 191
    - tangent, 170
  - mathematical operators
    - , 191
    - , 169
    - , 169
    - %, 169
    - \*, 159, 169
    - \*=, 169
    - /, 169
    - /=, 169
    - ^, 170
    - +, 156, 168, 190
    - ++, 169, 238
    - +=, 169
    - =, 169
  - Max method, 171
  - MaxLength property, 131
  - mdf file, 268, 277
  - meta HTML tag, 68
  - methods
    - arguments, by reference, 239
    - arguments, by value, 239
    - arguments, calling with, 193
    - arguments, creating to require, 192
    - arrays, returning, 233

calling, 191  
 classes, adding to, 183, **190**  
 constructor, 202  
 explanation of, 92, 151  
 functions, difference between, 194  
 get, 218  
 icon for, 151  
 overloading of, 193  
 private. *See* protection levels  
 protection levels, 196, *See also* protection levels  
 public. *See* protection levels  
 return keyword, escaping from with, 241  
 return keyword, returning values with, 194  
 return values, adding to, 194  
 return values, retrieving from, 195  
 set, 218  
 static, 198  
 summaries, adding to, 224  
 void return value, 190

Min method, 171  
 modulo, 169  
 Month property, 163  
 Mosaic browser, 74, *See also* web browser  
 MSDN, 54, *See also* help  
 multidimensional arrays, 233  
 MultiLine text box, 130  
 multiplication, 159, 169  
 MVC, 32  
 MySQL database, 276

## N

namespaces  
 creating, 188  
 explanation of, 151  
 hierarchy, 189  
 icon for, 151  
 modifying, 188  
 project, default, 188  
 references, readability issues caused by, 187  
 System, 186  
 System.Collections.Generic, 186, 235  
 System.Data.SqlClient, 281  
 System.Linq, 186  
 System.Text, 187  
 System.Web, 186  
 System.Web.Security.Membership, 254, 259  
 using lines, referencing with, 186

naming conventions, 124  
 nested tags, 63  
 NOT logical operator, 161, **215**  
 Now property, 162

null  
 default values, 155  
 explanation of, 101, **172**  
 nullable variables. *See* nullable variables  
 SingleOrDefault LINQ method, returned by, 287

nullable variables  
 explanation of, 160

nullable variables  
 explanation of, 157

nullable variables  
 practical use of, 336

nullable variables, explanation of, **173**

## O

object data type  
 best practice of use, 175  
 cast, converting using, 174  
 explanation of, 174  
 GetType method, 174

Object Relational Designer window, 278

objects. *See* instances of classes

offline option, 251

onclick property, 82

opening  
 databases, 277  
 projects, 33, 35, 36  
 Web Site projects, 35

operating system  
 version, checking, 16  
 version, checking, **26**  
 Windows XP and Vista, use of, 16

operators  
 logical. *See* logical operators  
 mathematical. *See* mathematical operators

OR logical operator, 214

Oracle database, 276

order of event handler execution, 94

OrderBy LINQ method, 284

overloading methods, 193

## P

page lifecycle, 105

Page object  
 explanation of, 102  
 FindControl method, 103, 112  
 IsPostBack property, 106  
 IsValid property, 139  
 Page.Controls property, 103

- Page.Request property, 104, *See also* Request object
- Page.Response property, 104, 111, *See also* Response object
- Page.User.Identity.IsAuthenticated property, 266
- Page.User.Identity.Name property, 266
- Page.User.IsInRole method, 267
- PreviousPage property, 112
- properties, shortcuts to, 104
- Page\_Init event handler, 95
- Page\_Load event handler, 92, 93
- Page\_PreRender event handler, 95
- Page\_Render event, 105
- Page\_Unload event handler, 95
- pages
  - adding to a project, 37
  - aspx, 36
  - delivery by web server, 85
  - error, default, 327
  - favicons, adding to, 68
  - form tag, requirement of, 67
  - layouts using tables or CSS, 76
  - login, default, 261
  - master, 324
  - namespaces, default, 186
  - navigating with the tag navigator, 72
  - Page HTML tag, 66
  - Page object. *See* Page object
  - postback, 106
  - previous page, reference to, 112
  - pure HTML, 84
  - query string, sending data between using, 113, *See also* query string values
  - rendering, 105
  - request from browser, 104, *See also* Request object
  - Response.Redirect method, moving between with, 110
  - securing, 263
  - Server.Transfer method, moving between with, 111
  - Session, sending data between using, 114, *See also* session
  - structure, understanding, 66
  - System.Web namespace, 186
  - this object, 98
  - Web form using Master Page, 325
- paragraph HTML tag, 64
- Parse conversion method, 165
- password text box, 130
- PasswordRecovery login control, 260
- paths
  - explanation of, 75
  - tilde, use in, 127
- pausing code. *See* breakpoints
- payment page, 340
- payment providers, 340
- PayPal, 340
- percentage measurements, 81
- PHP, 85
- png file, 31, 127
- postback
  - advantages and disadvantages of, 106
  - explanation of, 106
  - IsPostBack property, checking with, 106
  - JavaScript, use for, 107
- postfixes
  - ?, 173, *See also* nullable variables
  - f, 158, *See also* float data type
  - m, 159, *See also* decimal data type
- Pow method, 170
- PreRender event handler, 129
- PreviousPage object
  - advantages and disadvantages of, 112
  - explanation of, 112
- primary key, 291
- private protection level, 182, **196**
- products page, 330
- projects
  - App\_Data folder, 276
  - ASP.NET Folders, 276
  - ASP.NET MVC, 32
  - ASP.NET Web Application, 32, *See also* ASP.NET Web Application project
  - ASP.NET Web Site, 34
  - creating, 32
  - databases, adding to, 276
  - Global.asax file, 326, *See also* Global.asax file
  - LINQ to SQL Classes, adding, 278
  - namespaces, default, 188
  - opening, 33, 35, 36
  - pages, adding to, 37
  - SQL Server Database, adding to, 276
- properties
  - AutoPostBack, 107
  - BackColor, 142
  - C#, changing with, 92
  - CausesValidation, 142
  - changing, 46, 48
  - classes, adding to, 182
  - common to all controls, 142

- CSSClass, 143
  - Design view, changing in, 46
  - Enabled, 142
  - EnableTheming, 142
  - EnableViewState, 109, 142, 306
  - explanation of, 46
  - Font, 93, 142
  - ForeColor, 142
  - get method, 218
  - Height, 143
  - icon for, 151
  - ID, 46, 92, 124
  - Locals window, viewing using, 98
  - private. *See* protection levels
  - Properties Window, changing with, 46
  - protection levels, 182, 196, *See also* protection levels
  - public. *See* protection levels
  - set method, 218
  - Source view, changing in, 48
  - static, 198
  - Text, 92
  - ToolTip, 142
  - variables, creation from, 153
  - variables, setting values from, 152
  - Visible, 142
  - Watch window, viewing using, 99
  - Width, 143
  - Properties window
    - alphabetical and categories views, 46
    - controls, selecting with, 46
    - event handlers, adding with, 94
    - properties, Design view, changing with in, 46
    - properties, Source view, changing with in, 48
    - Source view, inability to add event handlers in, 94
  - protected protection level, 196
  - protection levels
    - explanation of, 196
    - private, 182, **196**
    - protected, 196
    - public, 182, **196**
  - providers
    - changing, 250, 268
    - configuring, 251
    - explanation of, 250
    - security wizard, changing with, 268
  - pt measurement unit, 81
  - public protection level, 182, **196**
  - publishing
    - database files, omission of, 345
    - File System, 344
    - FPSE, 344
    - FTP, 344
    - publish profiles, 344
    - Web Deploy, 344
    - Web.config files, potential omission of, 262, 345
  - px measurement unit, 81
- ## Q
- query LINQ syntax, 281
  - query string values
    - advantages and disadvantages of, 113
    - explanation of, 113
    - ReturnUrl, 255
  - query, database. *See* LINQ
  - QueryString object, 113
  - QuickTasks menu
    - CreateUserWizard controls, customizing with, 259
    - data source, setting with, 304
    - DropDownList controls, adding items to with, 53, 136
    - explanation of, 52
    - formatting with, 52
    - Login controls, customizing with, 256
  - quotations
    - Antoine de Saint-Exupéry, 123
    - Benjamin Disraeli, 275
    - Charles Babbage, 301
    - Charles Darwin, 231
    - Confucius, 21, 91
    - Delmore Schwartz, 247
    - Dr. Frank Crane, 17
    - Galileo Galilei, 61
    - Haile Selassie, 323
    - Jean Piaget, 209
    - Nathanael West, 149
    - Thomas Carlyle, 23
    - William Shakespeare, 181
    - Winston Churchill, 20
- ## R
- RadioButton control
    - adding to a page, 134
    - AutoPostBack property, 135
    - Checked property, 135
    - CheckedChanged event handler, 135
    - explanation of, 134
    - GroupName property, 134
  - RadioButtonList control, **135**, 136

RangeValidator control  
  ErrorMessage property, 141  
  explanation of, 140  
  Type property, 140  
red underlining, **39**, 152  
references. *See* using lines  
Refresh Schema option, 312  
regional calendars, 162  
regular expressions, 141  
RegularExpressionValidator control, 141  
relationships  
  explanation of, 279  
  LINQ, working with, 283  
RemoteOnly error mode, 117  
rendering, 105  
Repeater data control, 313  
Replace method, 155  
Request object  
  explanation of, 104  
  Url property, 105  
  UserAgent property, 104  
  UserHostAddress property, 105  
RequiredFieldValidator control, 138  
  ControlToValidate property, 138  
  ErrorMessage property, 141  
Reset Window Layout, 28  
Response object  
  Redirect method. *See also* Response.Redirect method  
Response object  
  End method, 105  
  explanation of, 104  
  Redirect method, **110**, 113  
  Write method, 105  
Response.Redirect method  
  advantages and disadvantages of, 110  
  explanation of, 110  
  new window, unable to create, 110  
  query string, use with, 113  
return keyword, 241  
  methods, escaping from with, 241  
  returning values with, 194  
return values  
  methods, adding to, 194  
  reason for, 195  
  return keyword, returning values with, 194  
  void, 190  
ReturnUrl query string value, 255  
roles. *See also* authentication  
  adding, 264  
  enabling, 264

  Page.User.IsInRole method, 267  
  security wizard, adding with, 268  
  security wizard, enabling with, 268  
  users, assigning to, 264  
Round method, **170**, 196  
rounding, **170**, 196  
runat="server", 67  
running a project in debug mode, **38**, 46  
runtime errors. *See* exceptions

## S

sample files  
  downloading, 13, **29**  
  passwords, 248  
  recommended location, 29  
saving, 41  
screen resolution, 81  
script HTML tag, **69**, 82  
search engine, 63, 69  
search page  
  creating, 334  
  functionality, adding to, 336  
security. *See* authentication  
security question, 259  
security wizard, 268  
  access rules, adding with, 269  
  ASPNETDB.MDF file, automatic creation of, 268  
  authentication types, changing with, 268  
  provider, changing with, 268  
  roles, adding with, 268  
  roles, enabling with, 268  
  users, adding with, 269  
Select command field, 311  
SelectedDate property, 95  
SelectedIndex property, 137, 157  
SelectedIndexChanged event handler, 137, 311  
SelectedValue property, 157  
SelectionChanged event handler, 95  
self-closing tags, 65  
server. *See* web server  
Server object  
  explanation of, 111  
  Transfer method, 111  
  TransferRequest method, 111  
Server.Transfer method  
  advantages and disadvantages of, 111  
  explanation of, 111  
  Page.PreviousPage object, population of, 112  
  previous page, reference to, 112  
Server.TransferRequest method, 111

- server-side code, 83, 106
- session
  - explanation of, 114
  - Session\_End event handler, 326
  - Session\_Start event handler, 326
  - shopping cart, storing in, 333
  - timeout, **114**, 117
- Session object, 114
- session values
  - best practice of use, 114
  - explanation of, 114
- Session\_End event handler, 326
- Session\_Start event handler, 326
- sessionState setting, 117
- set method, 218
- shopping cart
  - creating, 332
  - items, adding to, 332
  - items, removing from, 338
  - session, storage in, 333, *See also* session
- short data type
  - explanation of, 156
  - Int16 alternate name, 156
- showing
  - hidden file extensions, 30
  - hidden files, 30
  - hidden folders, 30
- Sin method, 170
- single equals operator, 210
- Single LINQ method, **281**, 286
- SingleOrDefault LINQ method, 287
- sln file, 33
- smart method. *See* The Smart Method
- Solution Explorer. *See also* solutions
  - managing a project with, 36
- solutions
  - database files, potential omission of, 345
  - files, adding to, 37
  - files, deleting from, 37
  - files, excluding from, 37
  - folders, adding to, 37
  - opening, 33
  - solution file, 33
  - Web.config files, potential omission of, 262
- SortedList collection, 235
- Source view, **40**, 48
- Split method, 155
- Split view, 40
- SQL Server database, 276
- SQL Server Express, 276
- SqlDataSource data control
  - configuring, 314
  - connection string, 314
  - explanation of, 314
  - LinqDataSource control, preference of, 314
  - SQL code, use with, 314
- Sqrt method, 170
- stack trace, 101
- standards, web, 66
- Start Page, 38
- starting debugging, **38**, 46
- starting Visual Studio, 24
- statements
  - catch, 220
  - else. *See* else statement
  - else if. *See* else if statement
  - foreach. *See* foreach statement
  - if. *See* if statement
  - try, 220
  - using, 201
- static methods
  - best practice of use, 199
  - creating, 198
  - explanation of, 198
- static properties
  - explanation of, 198
  - recommendation against, 198
- Step Into, 97
- Step Out, 97
- Step Over, **97**, 99
- stored procedures
  - explanation of, 279
  - LINQ classes, adding to, 279
  - LINQ, calling with, 284
  - LINQ, comparison with, 285
  - return values, 285
- string data type
  - array of, creating, 232
  - concatenation, 154
  - Contains method, 155
  - Convert.ToString method, 164
  - empty string, 155
  - explanation of, 152
  - IndexOf method, 155
  - IsNullOrEmpty method, 172
  - Length property, 154
  - null default value, 155
  - properties, use in, 93
  - Replace method, 155
  - Split method, 155
  - String alternate name, 154
  - ToLower method, 155

ToUpper method, 155  
 variable, creating, 152  
 StringBuilder class, 186  
 style HTML tag, 71  
 styles. *See* CSS  
 SubmitChanges LINQ method, 289, 291, 293  
 subroutines. *See* methods  
 subtraction, 169, 191  
 Sum LINQ method, 284  
 summaries  
   .NET framework, existing in, 224  
   automatic documentation, use by, 225  
   best practice of use, 225  
   creation of, 224  
   description tag, 225  
   explanation of, 224  
   param tag, 225  
   returns tag, 225  
 suo file, 33  
 System namespace, 186  
 System.Collections.Generic namespace, 186, 235  
 System.Data.SqlClient namespace, 281  
 System.Linq namespace, 186  
 System.Text namespace, 187  
 System.Web namespace, 186  
 System.Web.Security.Membership namespace, 259  
 System.Web.Security.Membership.CreateUser method, 259  
 System.Web.Security.Membership.ValidateUser method, 254

## T

table HTML tag, 70  
 tables  
   creating, 70  
   heading cells, 71  
   merging cells of, 71  
   navigating with the tag navigator, 72  
   td HTML tag, 70  
   th HTML tag, 71  
   tr HTML tag, 70  
 tag navigator, 72  
 tags. *See* HTML tags  
 Take LINQ method, 284  
 Take Offline option, 251  
 Tan method, 170  
 td HTML tag, 70  
 TemplateField, 311  
 templates  
   controls, splitting into, 256

data controls, customizing with, 313  
 explanation of, 256  
 Text property, 92  
 TextBox control  
   adding to a page, 50  
   AutoPostBack property, 131  
   Columns property, 130  
   MaxLength property, 131  
   MultiLine setting, 130  
   Password setting, 130  
   properties, 130  
   TextChanged event handler, 131  
   TextMode property, 130  
 TextMode property, 130  
 th HTML tag, 71  
 the smart method  
   avoiding repetition, 18  
   informal summary, 19  
   learning by participation, 21  
   putting the smart method to work, 16  
   session objectives, 19  
   sessions and lessons, 16  
   two facing pages rule, 20  
 this object, 98  
 tilde operator, 75, 127  
 title HTML tag, 68  
 ToLongDateString method, 163  
 ToLower method, 155  
 Toolbox, 50  
 Tooltip property, 142  
 ToShortDateString method, 163  
 ToShortTimeString method, 163  
 ToString conversion method  
   explanation of, 166  
   format strings, 166, 193  
   overloads of, 193  
 ToUpper method, 155  
 tr HTML tag, 70  
 troubleshooting tips, 100  
 true. *See* bool data type  
 try statement, 220  
 TryParse method, 165  
 txt file, 31  
 types of value. *See* data types

## U

underlining  
   green, 152  
   red, 39, 152  
 units of measurement  
   percentage (%), 81

pixels (px), 81  
 relative (em and pt), 81  
 Unix. *See* web server  
 Unload event handler, 129  
 users  
   ASP.NET Configuration utility, managing  
     with, 250  
   CreateUserWizard control, creating with, 258  
   creating, **249**, 258  
   editing, 250  
   Page.User.Identity.IsAuthenticated property,  
     266  
   Page.User.Identity.Name property, 266  
   Page.User.IsInRole method, 267  
   permissions, assigning to, 262  
   roles, assigning to, 264  
   security wizard, adding with, 269  
   System.Web.Security.Membership.CreateUser  
     method, creating with, 259  
   viewing, 250  
 using lines, 125, **186**, *See also* namespaces  
 using statement  
   disposal, automatic when using, 201  
   explanation of, 201

## V

validation controls  
   C#, confirming using, 139  
   CompareValidator, 141  
   ControlToValidate property, 138  
   CustomValidator, 141  
   ErrorMessage property, 141  
   explanation of, 138  
   if statement, confirming using, 211, *See also* if  
     statement  
   Javascript, use by, 139  
   Page.IsValid property, 139  
   RangeValidator, 140  
   RegularExpressionValidator, 141  
   RequiredFieldValidator, 138  
   ValidationGroup property, 138  
   ValidationSummary, 140  
 ValidationGroup property, 138  
 ValidationSummary control, 140  
 value types. *See* data types  
 var data type  
   best practice of use, 175  
   explanation of, 175  
   iteration variables, recommendation against  
     using in, 237  
   LINQ, use with, 282  
 variable types. *See* data types  
 variables  
   alternate names, 154, 156, 158  
   cast method, converting using, 167  
   Convert method, converting using, 164  
   creating, 152  
   date and time. *See* DateTime data type  
   decimal. *See* decimal data type  
   default values, 155, 157  
   double. *See* double data type  
   explanation of, 152  
   floating point. *See* float data type  
   int. *See* int data type  
   iteration, **237**, 238  
   nullable, 157, 160, **173**  
   Parse method, converting using, 165  
   string. *See* string data type  
   ToString method, converting using, 166  
   TryParse method, converting using, 165  
   types. *See* data types  
 version, checking, 26  
 View in Browser, 46, 96  
 View Source option in Internet Explorer, **93**  
 views  
   Design, 40  
   Source, 40  
   Split, 40  
 ViewState  
   ControlState, differences to, 108  
   disabling, 109  
   EnableViewState property, 109  
   explanation of, 108  
   get and set methods, use with, 219  
   GridView control, recommended disabling of  
     when using, 306  
   keys, 109  
   problems caused by, 109, **306**  
   values, manually storing, 109  
 virtual web server, 38  
 Visible property, 142  
 Visual Basic  
   C#, preference of, 33  
   functions, 194  
 Visual Studio  
   automatic documentation tool, 225  
   downloading, 24  
   Expert Settings, enabling, 28  
   installation problems, 25  
   installing, 24  
   SQL Server Express, automatic installation of,  
     276

- starting, 24
- version, checking, 26
- Web.config file, automatic modification of, 116
- window layout, resetting, 28

Visual Studio Express, 26

Visual Web Developer, 26

void return value, 190

## W

W3C, 66

warnings, 152

Watch window, 99, 102

watches

- adding, 99, 102
- explanation of, 99
- removing, 102

Web Application. *See* ASP.NET Web Application

web browser

- changing the browser used by Visual Studio, 39
- history of, 74
- HTML code of pages, viewing with, 93
- JavaScript, compatibility with, 82
- languages understood by, 40
- market share, 39
- Mosaic, 74
- request for pages, 104, *See also* Request object
- Server.Transfer, behaviour when using, 111
- UserAgent property, determining with, 104
- Windows authentication, problems with, 253

Web Deploy publish method, 344

Web form using Master Page, 325

web forms. *See* pages

web server

- difference between Unix and Windows, 85
- FTP, publishing to with, 345
- HTML, delivery of, 85
- locale, use of, 162
- pages, delivery of, 85
- published site, use of, 345
- response to browser, 104, *See also* Response object
- Web.config, potential modification of, 117

- web services, 106
- Web Site. *See* ASP.NET Web Site
- web standards, 66
- Web User Control, 324
- Web.config file
  - AspNetSqlMembershipProvider tag, 251
  - authentication modes, changing in, 253
  - authentication tag, 253
  - customErrors setting, 116
  - explanation of, 116
  - Forms authentication, changing to in, 253
  - forms tag, 261
  - globalization tag, changing locale using, 162
  - locale, changing in, 162
  - loginUrl setting, 261
  - publishing, omission of when, 345
  - publishing, potential omission of when, 262
  - security question requirement, setting in, 259
  - sessionState setting, 117
  - Windows authentication, changing to in, 253
- Where LINQ method, 282
- while iteration statement, 238
- width CSS property, 81
- Width property, 143
- width, in columns, 130
- Windows
  - checking version of, 26
  - setting up for development, 30
- Windows authentication, 252
- Windows XP and Vista
  - small differences in screen grabs when using, 16

## X

XML

- explanation of, 116
- summaries, 224, *See also* summaries

## Z

zero-based indexing, 137, 235